This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently amended) A compound of Compounds of general formula I

in which

 R^3 represents a group R^{19} -O-, $R^{20}SO_2$ -O-, or -O-C (O) R^{21} ;

n represents 3, 4, or 5:

X represents a group of formula II

 Π

in which

Z and W, independently of one another, represent R¹⁹,

or

Z and W together represent an oxygen atom,

Y represents OR¹⁹, -CN, -SCN, a halogen atom, R²⁰, R²⁰SO₂-O-;

or

Y represents R^{19} or R^{20} , if Z and W together represent an oxygen atom; $R^{17} \text{ and } R^{17} \text{ together represent an oxygen atom, or a group = } CR^{23}R^{24},$ in which

 R^{23} and R^{24} , independently of one another, represent a hydrogen atom or a halogen;

or

R¹⁷ represents hydrogen, –OR¹⁹ or halogen;

 R^{17} represents R^{19} , $-OR^{19}$, halogen, $R^{20}SO_2$ -O-, $-C(O)R^{21}$ or $-O-C(O)R^{21}$;

R¹⁹ represents a hydrogen atom,

an unbranched C₁–C₈-alkyl group or branched C₃–C₆-alkyl group, a C₃–C₆-cycloalkyl group that is optionally substituted with a phenyl radical, a (C₃–C₆-cycloalkyl)-C₁–C₄-alkylene group, a branched or unbranched C₂–C₅-alkenyl group, a C₂–C₅-alkinyl group; or an unsubstituted or substituted aryl-, heteroaryl-, heterocyclyl-, aryl-C₁–C₄-alkylene-, or heteroaryl-C₁–C₄-alkylene group;

a radical of formula $C_pF_qH_r$ with p=1, 2, 3, 4, 5, 6, 7, 8, 9; q >1 and q+r=2p+1;

R²⁰ represents an R²¹R²²N- group, a group -C(NOR¹⁹)H, or a group of general formula III

$$_{n}(CH_{2}) < \bigvee_{N} (CH_{2})_{o}$$
 III

in which

V represents $-CH_2$ -, an oxygen atom or a sulfur atom, or $=N-R^{25}$;

m represents 0, 1, 2, 3, 4, 5, 6, 7 or 8;

o represents 0, 1, 2, 3, 4, 5, 6, 7 or 8,

whereby their sum

R²¹ and R²², independently of one another, represent R¹⁹;

 R^{25} represents R^{19} , $R^{20}SO_2$ - or an acyl group $-C(O)R^{21}$.

- 2. (Currently amended) A compound Compounds of general formula I according to claim 1, characterized in that—wherein Y = -OH, -CN, -SCN, a halogen, or R^{20} .
- 3. (Currently amended) A compound Compounds of general formula I according to claim 1, wherein

 $Y = R^{20}$, if and Z and W together represent an oxygen atom.

4. (Currently amended) A compound Compounds of general formula I according to claim 1, wherein

and

R¹⁷ and R¹⁷ together represent an oxygen atom,

or

- R¹⁷ represents hydrogen, or –OH;
- R¹⁷ represents hydrogen, -OH, C₁-C₄-alkyl group, C₂-C₅-alkenyl group, a C₂-C₅-alkinyl group, or a trifluoromethyl group.
- 5. (Currently amended) A compound Compounds of general formula I according to claim 1, wherein
 - Y represents R^{20} , if and Z and W together represent an oxygen atom, and
 - R¹⁷ and R¹⁷ together represent an oxygen atom,

or

- R¹⁷ represents hydrogen, or –OH;
- R^{17} represents hydrogen, -OH, C_1-C_4 -alkyl group, C_2-C_5 -alkenyl group, a C_2-C_5 -alkinyl group, or a trifluoromethyl group.
- 6. (Currently amended) Compounds A compound according to claim 1, namely which is

 11β-[(R) 6,6,6-Trifluoro-5-hydroxyhexyl]-8-vinyl-estra-1,3,5(10)-triene-3,17β-diol

 (Diastereomer 1),
- 11β-[(S) 6,6,6-Trifluoro-5-hydroxyhexyl]-8-vinyl-estra-1,3,5(10)-triene-3,17β-diol (Diastereomer 2),
 - 11β-[(R)7,7,7-Trifluoro-6-hydroxyheptyl]-8-vinyl-estra-1,3,5(10)-triene-3,17β-diol,
 11β-[(S)7,7,7-Trifluoro-6-hydroxyheptyl]-8-vinyl-estra-1,3,5(10)-triene-3,17β-diol,
 11β-[(R)8,8,8-Trifluoro-7-hydroxyoctyl]-8-vinyl-estra-1,3,5(10)-triene-3,17β-diol,
 11β-[(S)8,8,8-Trifluoro-7-hydroxyoctyl]-8-vinyl-estra-1,3,5(10)-triene-3,17β-diol,

11β-[7,7,7-Trifluoro-6-hydroxyheptyl]-8 vinyl-estra-1,3,5(10) triene-3,17β-diol (Diastereomer-1),

11β [7,7,7 Trifluoro 6 hydroxyheptyl] 8 vinyl estra 1,3,5(10) triene 3,17β diol (Diastereomer 2),

11β-[8,8,8-Trifluoro-7-hydroxyoctyl]-8-vinyl estra-1,3,5(10) triene-3,17β-diol, (Diastereomer 1),

11β-[8,8,8-Trifluoro-7-hydroxyoctyl]-8-vinyl-estra-1,3,5(10)-triene-3,17β-diol (Diastereomer-2),

 11β -[6,6,6-Trifluoro-5-hydroxy-5-(trifluoromethyl)hexyl]-8-vinyl-estra-1,3,5(10)-triene-3,17 β -diol,

 11β -[7,7,7-Trifluoro-6-hydroxy-6-(trifluoromethyl)heptyl]-8-vinyl-estra-1,3,5(10)-triene-3,17 β -diol,

 11β -[8,8,8-Trifluoro-7-hydroxy-7-(trifluoromethyl)octyl]-8-vinyl-estra-1,3,5(10)-triene-3,17 β -diol,

11β-[(R)7,7,7,6,6-Pentafluoro-5-hydroxyheptyl]-8-vinyl-estra-1,3,5(10)-triene-3,17β-diol,

 11β -[(S)7,7,7,6,6-Pentafluoro-5-hydroxyheptyl]-8-vinyl-estra-1,3,5(10)-triene-3,17β-

diol,

 $\underline{11\beta-[(R)8,8,8,7,7-Pentafluoro-6-hydroxyoctyl]-8-vinyl-estra-1,3,5(10)-triene-3,17\beta-diol,}$

	11β -[(S)8,8,8,7,7-Pentafluoro-6-hydroxyoctyl]-8-vinyl-estra-1,3,5(10)-triene-3,17β-
diol,	
	11β -[(R)9,9,9,8,8-Pentafluoro-7-hydroxynonyl]-8-vinyl-estra-1,3,5(10)-triene-3,17β-
diol,	
	$\underline{11\beta\text{-}[(S)9,9,9,8,8\text{-}Pentafluoro-7-hydroxynonyl]-8\text{-}vinyl\text{-}estra-1,3,5(10)\text{-}triene-3,17}\beta\text{-}$
diol,	
	11β-[(R)8,8,8,7,7,6,6-Heptafluoro-5-hydroxyoctyl]-8-vinyl-estra-1,3,5(10)-triene-3,17β-
<u>diol,</u>	
	11β-[(S)8,8,8,7,7,6,6-Heptafluoro-5-hydroxyoctyl]-8-vinyl-estra-1,3,5(10)-triene-3,17β-
diol,	
	11β-[(R)9,9,9,8,8,7,7-Heptafluoro-6-hydroxynonyl]-8-vinyl-estra-1,3,5(10)-triene-
<u>3,17β-diol,</u>	
	11β-[(S)9,9,9,8,8,7,7-Heptafluoro-6-hydroxynonyl]-8-vinyl-estra-1,3,5(10)-triene-
$3,17\beta$ -diol,	
	11β-[(R)10,10,10,9,9,8,8-Heptafluoro-7-hydroxydecyl]-8-vinyl-estra-1,3,5(10)-triene-
$3,17\beta$ -diol,	
	11β-[(S)10,10,10,9,9,8,8-Heptafluoro-7-hydroxydecyl]-8-vinyl-estra-1,3,5(10)-triene-
3,17β-diol,	
	11β-[7,7,7,6,6-Pentafluoro-5-hydroxyheptyl] 8-vinyl-estra-1,3,5(10) triene-3,17β-diol
(Diastereomer 1),	
	11β-[7,7,7,6,6-Pentafluoro-5-hydroxyheptyl] 8 vinyl-estra 1,3,5(10) triene 3,17β-diol

(Diastereomer 2),

11β [8,8,8,7,7-Pentafluoro 6 hydroxyoctyl] 8 vinyl estra 1,3,5(10) triene 3,17β diol (Diastereomer 1),

11β-[8,8,8,7,7-Pentafluoro-6-hydroxyoctyl] 8-vinyl estra-1,3,5(10) triene 3,17β-diol (Diastereomer 2),

11β-[9,9,9,8,8 Pentafluoro 7 hydroxynonyl] 8 vinyl estra 1,3,5(10) triene 3,17β diol (Diastercomer 1),

11β-[9,9,9,8,8-Pentafluoro 7 hydroxynonyl] 8 vinyl-estra 1,3,5(10) triene 3,17β-diol (Diastercomer 2),

11β-[8,8,8,7,7,6,6-Heptafluoro-5-hydroxyoctyl] 8-vinyl-estra-1,3,5(10) triene-3,17β-diol (Diastereomer-1),

11β [8,8,8,7,7,6,6-Heptafluoro-5 hydroxyoctyl]-8 vinyl estra 1,3,5(10) triene 3,17β-diol (Diastereomer 2),

11β-[9,9,9,8,8,7,7-Heptafluoro 6 hydroxynonyl] 8 vinyl-estra 1,3,5(10) triene 3,17β-diol (Diastereomer 1),

11β [9,9,9,8,8,7,7-Heptafluoro 6-hydroxynonyl] 8-vinyl-estra 1,3,5(10) triene 3,17β-diol (Diastereomer 2),

11β-[10,10,10,9,9,8,8-Heptafluoro-7-hydroxydecyl]-8-vinyl-estra-1,3,5(10) triene-3,17β-diol (Diastereomer 1),

11β-[10,10,10,9,9,8,8-Heptafluoro-7-hydroxydecyl] 8-vinyl estra-1,3,5(10) triene-3,17β-diol (Diastereomer 2),

```
11\beta-(5-Bromopentyl)-8-vinyl-estra-1,3,5(10)-triene-3,17\beta-diol,
```

11 β -[5-(Methylamino)pentyl]-8-vinylestra-1,3,5(10)-triene-3,17 β -diol,

11β-[5-(Dimethylamino)pentyl]-8-vinylestra-1,3,5(10)-triene-3,17β-diol,

 11β -[5-(Pyrrolidin-1-yl)pentyl]-8-vinylestra-1,3,5(10)-triene-3,17 β -diol,

11β-[5-(1-Piperidyl)pentyl]-8-vinylestra-1,3,5(10)-triene-3,17β-diol,

11β-(5-Morpholinopentyl)-8-vinylestra-1,3,5(10)-triene-3,17β-diol,

 11β -{5-[Methyl(9,9,9,8,8-pentafluorononyl)amino]pentyl}-8-vinylestra-1,3,5(10)-triene-3,17 β -diol,

 11β -{5-[(9,9,9,8,8,7,7-Heptafluorononyl)methylamino]pentyl}-8-vinylestra-1,3,5(10)-triene-3,17 β -diol,

11β-{5-[Methyl(octanoyl)amino]pentyl}-8-vinyl-estra-1,3,5(10)-triene-3,17β-diol,

11β-(6-Chlorohexyl)-8-vinyl-estra-1,3,5(10)-triene-3,17β-diol,

 11β -[6-(Methylamino)hexyl]-8-vinylestra-1,3,5(10)-triene-3,17 β -diol,

 11β -[6-(Dimethylamino)hexyl]-8-vinylestra-1,3,5(10)-triene-3,17 β -diol, 11β -[6-(Pyrrolidin-1-yl)hexyl]-8-vinylestra-1,3,5(10)-triene-3,17 β -diol,

 11β -[6-(1-Piperidyl)hexyl]-8-vinylestra-1,3,5(10)-triene-3,17 β -diol,

11β-(6-Morpholinohexyl)-8-vinylestra-1,3,5(10)-triene-3,17β-diol,

 11β -{6-[Methyl(9,9,9,8,8-pentafluorononyl)amino]hexyl}-8-vinylestra-1,3,5(10)-triene-3,17 β -diol,

 11β -{6-[(9,9,9,8,8,7,7-Heptafluorononyl)methylamino]hexyl}-8-vinylestra-1,3,5(10)-triene-3,17 β -diol,

```
11\beta-\{6-[Methyl(octanoyl)amino]hexyl\}-8-vinyl-estra-1,3,5(10)-triene-3,17\beta-diol,\\ 11\beta-(7-Bromoheptyl)-8-vinyl-estra-1,3,5(10)-triene-3,17\beta-diol,\\ 11\beta-[7-(Methylamino)heptyl]-8-vinylestra-1,3,5(10)-triene-3,17\beta-diol,\\ 11\beta-[7-(Dimethylamino)heptyl]-8-vinylestra-1,3,5(10)-triene-3,17\beta-diol,\\ 11\beta-[7-(Pyrrolidin-1-yl)heptyl]-8-vinylestra-1,3,5(10)-triene-3,17\beta-diol,\\ 11\beta-[7-(1-Piperidyl)heptyl]-8-vinylestra-1,3,5(10)-triene-3,17\beta-diol,\\ 11\beta-\{7-[Methyl(9,9,9,8,8-pentafluorononyl)amino]heptyl\}-8-vinylestra-1,3,5(10)-triene-3,17\beta-diol,\\ 11\beta-\{7-[Methyl(9,9,9,8,8-pentafluorononyl)amino]heptyl\}-8-vinylestra-1,3,5(10)-triene-3,17\beta-diol,\\ 11\beta-\{7-[Methyl(9,9,9,8,8-pentafluorononyl)amino]heptyl\}-8-vinylestra-1,3,5(10)-triene-1,3,5(10)-triene-1,3,5(10)-triene-1,3,5(10)-triene-1,3,5(10)-triene-1,3,5(10)-triene-1,3,5(10)-triene-1,3,5(10)-triene-1,3,5(10)-triene-1,3,5(10)-triene-1,3,5(10)-triene-1,3,5(10)-triene-1,3,5(10)-triene-1,3,5(10)-triene-1,3,5(10)-triene-1,3,5(10)-triene-1,3,5(10)-triene-1,3,5(10)-triene-1,3,5(10)-triene-1,3,5(10)-triene-1,3,5(10)-triene-1,3,5(10)-triene-1,3,5(10)-triene-1,3,5(10)-triene-1,3,5(10)-triene-1,3,5(10)-triene-1,3,5(10)-triene-1,3,5(10)-triene-1,3,5(10)-triene-1,3,5(10)-triene-1,3,5(10)-triene-1,3,5(10)-triene-1,3,5(10)-triene-1,3,5(10)-triene-1,3,5(10)-triene-1,3,5(10)-triene-1,3,5(10)-triene-1,3,5(10)-triene-1,3,5(10)-triene-1,3,5(10)-triene-1,3,5(10)-triene-1,3,5(10)-triene-1,3,5(10)-triene-1,3,5(10)-triene-1,3,5(10)-triene-1,3,5(10)-triene-1,3,5(10)-triene-1,3,5(10)-triene-1,3,5(10)-triene-1,3,5(10)-triene-1,3,5(10)-triene-1,3,5(10)-triene-1,3,5(10)-triene-1,3,5(10)-triene-1,3,5(10)-triene-1,3,5(10)-triene-1,3,5(10)-triene-1,3,5(10)-triene-1,3,5(10)-triene-1,3,5(10)-triene-1,3,5(10)-triene-1,3,5(10)-triene-1,3,5(10)-triene-1,3,5(10)-triene-1,3,5(10)-triene-1,3,5(10)-triene-1,3,5(10)-triene-1,3,5(10)-triene-1,3,5(10)-triene-1,3,5(10)-triene-1,3,5(10)-triene-1,3,5(10)-triene-1,3,5(10)-triene-1,3,5(10)-triene-1,3,5(10)-triene-1,3,5(10)-triene-1,3,5(10)-triene-1,3,5(10)-triene-1,3,5(10)-triene
```

 11β -{7-[Methyl(9,9,9,8,8-pentafluorononyl)amino]heptyl}-8-vinylestra-1,3,5(10)-triene-3,17 β -diol,

 11β -{7-[(9,9,9,8,8,7,7-Heptafluorononyl)methylamino]heptyl}-8-vinylestra-1,3,5(10)-triene-3,17 β -diol,

11β-{7-[Methyl(octanoyl)amino]heptyl}-8-vinyl-estra-1,3,5(10)-triene-3,17β-diol,

N-nButyl-N-methyl-5-[3,17β-dihydroxy-8-vinylestra-1,3,5(10)-trien-11β-yl]valeramide,

N-nButyl-N-methyl-6-[3,17β-dihydroxy-8-vinylestra-1,3,5(10)-trien-11β
yl]capronamide,

N-nButyl-N-methyl-7-[3,17 β -dihydroxy-8-vinylestra-1,3,5(10)-trien-11 β -yl]enanthoamide,

11β-(5-Thiocyanatopentyl)-8-vinylestra-1,3,5(10)-triene-3,17β-diol, 11β-(6-Thiocyanatohexyl)-8-vinylestra-1,3,5(10)-triene-3,17β-diol, 11β-(7-Thiocyanatoheptyl)-8-vinylestra-1,3,5(10)-triene-3,17β-diol, 6-[3,17β-Dihydroxy-8-vinylestra-1,3,5(10)-trien-11β-yl]capronitrile, 7-[3,17 β -Dihydroxy-8-vinylestra-1,3,5(10)-trien-11 β -yl]enanthonitrile,

<u>17β-Hydroxy-11β-[(R) 6,6,6-trifluoro-5-hydroxyhexyl]-8-vinyl-estra-1,3,5(10)-trien-3-yl-sulfamate,</u>

 17β -Hydroxy-11β-[(S) 6,6,6-trifluoro-5-hydroxyhexyl]-8-vinyl-estra-1,3,5(10)-trien-3-yl-sulfamate,

 17β -Hydroxy-11 β -[(R)7,7,7-trifluoro-6-hydroxyheptyl]-8-vinyl-estra-1,3,5(10)-trien-3-yl-sulfamate,

<u>17β-Hydroxy-11β-[(S)7,7,7-trifluoro-6-hydroxyheptyl]-8-vinyl-estra-1,3,5(10)-trien-3-yl-sulfamate,</u>

 17β -Hydroxy-11β-[(R)8,8,8-trifluoro-7-hydroxyoctyl]-8-vinyl-estra-1,3,5(10)-trien-3-yl-sulfamate,

<u>17β-Hydroxy-11β-[(S)8,8,8-trifluoro-7-hydroxyoctyl]-8-vinyl-estra-1,3,5(10)-trien-3-yl-sulfamate,</u>

17β-Hydroxy 11β-[(R) 6,6,6-trifluoro 5 hydroxyhexyl] 8 vinyl estra 1,3,5(10) trien 3-yl-sulfamate (Diastereomer 1),

17β-Hydroxy 11β-[(S) 6,6,6-trifluoro-5-hydroxyhexyl]-8-vinyl-estra-1,3,5(10)-trien-3-yl-sulfamate (Diastereomer-2),

17β-Hydroxy-11β-[7,7,7-trifluoro 6 hydroxyheptyl] 8 vinyl-estra-1,3,5(10)-trien-3-yl-sulfamate (Diastereomer 1),

17β-Hydroxy-11β-[7,7,7-trifluoro-6-hydroxyheptyl]-8-vinyl-estra-1,3,5(10)-trien-3-yl-

sulfamate (Diastereomer 2),

17β-Hydroxy 11β [8,8,8-trifluoro 7-hydroxyoctyl] 8-vinyl-estra-1,3,5(10) trien 3-yl-sulfamate, (Diastereomer 1),

17β Hydroxy 11β [8,8,8 trifluoro 7 hydroxyoctyl] 8 vinyl estra 1,3,5(10) trien 3 ylsulfamate (Diastereomer 2),

 17β -Hydroxy- 11β -[6,6,6-trifluoro-5-hydroxy-5-(trifluoromethyl)hexyl]-8-vinyl-estra-1,3,5(10)-trien-3-yl-sulfamate,

 17β -Hydroxy- 11β -[7,7,7-trifluoro-6-hydroxy-6-(trifluoromethyl)heptyl]-8-vinyl-estra-1,3,5(10)-trien-3-yl-sulfamate,

 17β -Hydroxy- 11β -[8,8,8-trifluoro-7-hydroxy-7-(trifluoromethyl)octyl]-8-vinyl-estra-1,3,5(10)-trien-3-yl-sulfamate,

<u>17β-Hydroxy-11β-[(R)7,7,7,6,6-pentafluoro-5-hydroxyheptyl]-8-vinyl-estra-1,3,5(10)-</u> trien-3-yl-sulfamate,

<u>17β-Hydroxy-11β-[(S)7,7,7,6,6-pentafluoro-5-hydroxyheptyl]-8-vinyl-estra-1,3,5(10)-trien-3-yl-sulfamate,</u>

<u>17β-Hydroxy-11β-[(R)8,8,8,7,7-pentafluoro-6-hydroxyoctyl]-8-vinyl-estra-1,3,5(10)-trien-3-yl-sulfamate,</u>

17β-Hydroxy-11β-[(S)8,8,8,7,7-pentafluoro-6-hydroxyoctyl]-8-vinyl-estra-1,3,5(10)-trien-3-yl-sulfamate,

 17β -Hydroxy-11β-[(R)9,9,9,8,8-pentafluoro-7-hydroxynonyl]-8-vinyl-estra-1,3,5(10)-trien-3-yl-sulfamate,

13

trien-3-yl-sulfamate,

17β-Hydroxy-11β-[7,7,7,6,6-pentafluoro-5-hydroxyheptyl]-8-vinyl-estra-1,3,5(10)-trien-3-yl-sulfamate (Diastereomer-1),

17β-Hydroxy 11β-[7,7,7,6,6-pentafluoro-5-hydroxyheptyl]-8-vinyl-estra-1,3,5(10)-trien-3-yl-sulfamate (Diastereomer 2),

17β-Hydroxy-11β-[8,8,8,7,7-pentafluoro-6-hydroxyoctyl]-8-vinyl-estra-1,3,5(10) trien-3-yl-sulfamate (Diastereomer 1),

17β-Hydroxy-11β-[8,8,8,7,7-pentafluoro-6-hydroxyoctyl]-8-vinyl-estra-1,3,5(10) trien-3-yl-sulfamate (Diastereomer 2),

17β-Hydroxy-11β-[9,9,9,8,8-pentafluoro-7-hydroxynonyl]-8-vinyl-estra-1,3,5(10) trien-3-yl-sulfamate (Diastereomer 1),

17β-Hydroxy-11β-[9,9,9,8,8-pentafluoro-7-hydroxynonyl]-8-vinyl-estra-1,3,5(10) trien-3-yl-sulfamate (Diastereomer 2),

 11β -[5-(Dimethylamino)pentyl]- 17β -hydroxy-8-vinylestra-1,3,5(10)-trien-3-yl-sulfamate,

 17β -Hydroxy- 11β -[5-(pyrrolidin-1-yl)pentyl]-8-vinylestra-1,3,5(10)-trien-3-yl-sulfamate,

17β-Hydroxy-11β-[5-(1-piperidyl)pentyl]-8-vinylestra-1,3,5(10)-trien-3-yl-sulfamate, 17β-Hydroxy-11β-(5-morpholinopentyl)-8-vinylestra-1,3,5(10)-trien-3-yl-sulfamate, 11β-[6-(Dimethylamino)hexyl]-17β-hydroxy-8-vinylestra-1,3,5(10)-trien-3-ylsulfamate,

 17β -Hydroxy- 11β -[6-(pyrrolidin-1-yl)hexyl]-8-vinylestra-1,3,5(10)-trien-3-yl-sulfamate,

17β-Hydroxy-11β-[6-(1-piperidyl)hexyl]-8-vinylestra-1,3,5(10)-trien-3-yl-sulfamate,
17β-Hydroxy-11β-(6-morpholinohexyl)-8-vinylestra-1,3,5(10)-trien-3-yl-sulfamate,
11β-[7-(Dimethylamino)heptyl]-17β-hydroxy-8-vinylestra-1,3,5(10)-trien-3-yl-sulfamate,

 17β -Hydroxy- 11β -[7-(pyrrolidin-1-yl)heptyl]-8-vinylestra-1,3,5(10)-trien-3-yl-sulfamate,

17β-Hydroxy-11β-[7-(1-piperidyl)heptyl]-8-vinylestra-1,3,5(10)-trien-3-yl-sulfamate,
17β-Hydroxy-11β-(7-morpholinoheptyl)-8-vinylestra-1,3,5(10)-trien-3-yl-sulfamate,

11β-[7,7,6-Trifluoro-5-hydroxyhept-6-enyl]-8-vinyl-estra-1,3,5(10)-triene-3,17β-diol

(Diastereomer-1),

11β-[7,7,6-Trifluoro-5-hydroxyhept-6-enyl]-8 vinyl-estra-1,3,5(10) triene-3,17β-diol (Diastereomer-2),

11β-[8,8,7-Trifluoro 6 hydroxyoct 7 enyl] 8 vinyl estra-1,3,5(10) triene-3,17β-diol (Diastereomer 1),

11β [8,8,7-Trifluoro 6 hydroxyoct-7-enyl]-8 vinyl estra 1,3,5(10) triene 3,17β diol (Diastereomer 2),

11β-[9,9,8-Trifluoro-7-hydroxynon-8-enyl]-8-vinyl-estra-1,3,5(10)-triene-3,17β-diol
(Diastereomer-1),

(Diastereomer 2), 11\(\beta-\text{[5-Hydroxyhexyl]-8-vinyl-estra-1,3,5(10) triene-3,17\(\beta-\text{diol}\) (Diastereomer-1), 118 [5 Hydroxyhexyl] 8 vinyl estra 1,3,5(10) triene 3,178 diol (Diastereomer 2), 11β-[6-Hydroxyheptyl] 8 vinyl estra 1,3,5(10) triene 3,17β diol (Diastereomer 1), 11ß-[6-Hydroxyheptyl]-8-vinyl-estra-1,3,5(10) triene-3,17ß-diol (Diastereomer 2), 11β-[7-Hydroxyoctyl]-8-vinyl-estra-1,3,5(10)-triene-3,17β-diol (Diastereomer-1), 11β-[7-Hydroxyoctyl] 8-vinyl estra 1,3,5(10) triene 3,17β-diol (Diastercomer 2), 11β-[(R)7,7,6-Trifluoro-5-hydroxyhept-6-enyl]-8-vinyl-estra-1,3,5(10)-triene-3,17βdiol, 11β-[(S) 7,7,6-Trifluoro-5-hydroxyhept-6-enyl]-8-vinyl-estra-1,3,5(10)-triene-3,17βdiol, 11β -[(R)8,8,7-Trifluoro-6-hydroxyoct-7-enyl]-8-vinyl-estra-1,3,5(10)-triene-3,17 β -diol, 11β-[(S) 8,8,7-Trifluoro-6-hydroxyoct-7-enyl]-8-vinyl-estra-1,3,5(10)-triene-3,17β-diol, 11β-[(R)9,9,8-Trifluoro-7-hydroxynon-8-enyl]-8-vinyl-estra-1,3,5(10)-triene-3,17βdiol, 11β-[(S) 9,9,8-Trifluoro-7-hydroxynon-3-enyl]-8-vinyl-estra-1,3,5(10)-triene-3,17βdiol, (R) 11β-[5-Hydroxyhexyl]-8-vinyl-estra-1,3,5(10)-triene-3,17β-diol, (S) 11β-[5-Hydroxyhexyl]-8-vinyl-estra-1,3,5(10)-triene-3,17β-diol, (R) 11β-[6-Hydroxyheptyl]-8-vinyl-estra-1,3,5(10)-triene-3,17β-diol,

11β [9,9,8 Trifluoro 7 hydroxynon 3 enyl] 8 vinyl estra 1,3,5(10) triene 3,17β diol

- (S) 11β -[6-Hydroxyheptyl]-8-vinyl-estra-1,3,5(10)-triene-3,17 β -diol,
- (R) 11β-[7-Hydroxyoctyl]-8-vinyl-estra-1,3,5(10)-triene-3,17β-diol,
- (S) 11β -[7-Hydroxyoctyl]-8-vinyl-estra-1,3,5(10)-triene-3,17 β -diol,

11 β -[5-Methyl-5-hydroxyhexyl]-8-vinyl-estra-1,3,5(10)-triene-3,17 β -diol,

 11β -[6-Methyl-6-hydroxyheptyl]-8-vinyl-estra-1,3,5(10)-triene-3,17 β -diol,

11 β -[7-Methyl-7-hydroxyoctyl]-8-vinyl-estra-1,3,5(10)-triene-3,17 β -diol,

17α Methyl-11β-[(R) 6,6,6-trifluoro-5-hydroxyhexyl] 8-vinyl-estra-1,3,5(10) triene-3,17β-diol (Diastereomer 1),

17α Methyl-11β-[(S) 6,6,6-trifluoro-5-hydroxyhexyl]-8-vinyl-estra-1,3,5(10) triene-3,17β-diol (Diastereomer 2),

17α Methyl 11β [7,7,7-trifluoro 6 hydroxyheptyl] 8 vinyl estra 1,3,5(10) triene 3,17β diol (Diastereomer 1),

17α Methyl-11β [7,7,7-trifluoro-6-hydroxyheptyl]-8-vinyl-estra-1,3,5(10) triene-3,17β-diol (Diastereomer 2),

 17α Methyl 11β-[8,8,8-Trifluoro-7-hydroxyoctyl]-8-vinyl estra-1,3,5(10) triene-3,17β-diol (Diastereomer-1),

17α Methyl 11β [8,8,8 trifluoro 7 hydroxyoctyl] 8 vinyl-estra 1,3,5(10) triene 3,17β diol (Diastereomer 2).

17β-Hydroxy-11β-[8,8,8,7,7,6,6-heptafluoro-5-hydroxyoctyl]-8-vinyl-estra-1,3,5(10) trien-3-yl-sulfamate (Diastereomer 1),

17β-Hydroxy-11β-[8,8,8,7,7,6,6 heptafluoro-5 hydroxyoctyl]-8 vinyl-estra-1,3,5(10)-

trien-3-yl-sulfamate (Diastereomer 2),

17β-Hydroxy-11β-[9,9,9,8,8,7,7-heptafluoro-6-hydroxynonyl]-8 vinyl-estra-1,3,5(10)-trien-3-yl-sulfamate (Diastereomer 1),

17β-Hydroxy-11β-[9,9,9,8,8,7,7-heptafluoro-6-hydroxynonyl]-8-vinyl-estra-1,3,5(10)-trien-3-yl-sulfamate (Diastereomer 2),

17β Hydroxy-11β-[10,10,10,9,9,8,8 heptafluoro-7 hydroxydecyl] 8 vinyl-estra-1,3,5(10) trien-3-yl-sulfamate (Diastereomer 1),

17β-Hydroxy-11β-[10,10,10,9,9,8,8-heptafluoro-7-hydroxydecyl] 8-vinyl-estra-1,3,5(10) trien-3-yl-sulfamate (Diastereomer 2),

17β-Hydroxy-11β-[7,7,6-trifluoro-5-hydroxyhept-6-enyl] 8 vinyl-estra-1,3,5(10) trien-3-yl-sulfamate (Diastereomer-1),

17β Hydroxy 11β [7,7,6-trifluoro-5 hydroxyhept 6 enyl] 8 vinyl estra 1,3,5(10) trien-3 yl-sulfamate (Diastereomer 2),

17β-Hydroxy-11β [8,8,7-trifluoro-6-hydroxyoct-7-enyl] 8 vinyl estra 1,3,5(10) trien 3-yl-sulfamate (Diastereomer-1),

17β-Hydroxy-11β-[8,8,7-trifluoro 6-hydroxyoct-7-enyl] 8-vinyl estra-1,3,5(10) trien-3-yl-sulfamate (Diastereomer 2),

17β-Hydroxy 11β-[9,9,8 trifluoro-7 hydroxynon-8 enyl]-8 vinyl-estra-1,3,5(10) trien-3-yl-sulfamate (Diastereomer 1),

17β Hydroxy 11β [9,9,8 trifluoro 7 hydroxynon 8 enyl] 8 vinyl estra-1,3,5(10) trien-3 yl sulfamate (Diastereomer 2),

17β-Hydroxy-17α-methyl-11β-[(1R) 6,6,6-trifluoro-5-hydroxyhexyl]-8-vinyl-estra-

1,3,5(10) trien-3-yl-sulfamate (Diastereomer 1),

17β-Hydroxy-17α-methyl-11β-[(S) 6,6,6-trifluoro-5-hydroxyhexyl]-8-vinyl-estra-1,3,5(10)-trien-3-yl-sulfamate (Diastereomer 2),

 17β -Hydroxy- 17α methyl 11β -[7,7,7 trifluoro 6 hydroxyheptyl] 8-vinyl estra-1,3,5(10) trien 3-yl-sulfamate (Diastereomer 1),

 17β Hydroxy 17α methyl- 11β [7,7,7-trifluoro 6-hydroxyheptyl] 8-vinyl-estra-1,3,5(10) trien 3-yl-sulfamate (Diastereomer 2),

17β-Hydroxy-17α-methyl-11β-[8,8,8-trifluoro-7-hydroxyoctyl]-8-vinyl-estra-1,3,5(10)-trien-3-yl-sulfamate (Diastereomer-1),

17β Hydroxy-17α methyl-11β [8,8,8 trifluoro 7 hydroxyoctyl] 8 vinyl estra 1,3,5(10) trien-3 yl sulfamate (Diastereomer 2)

 $\frac{17\alpha\text{-Methyl-}11\beta\text{-}[(R)\ 6,6,6\text{-trifluoro-}5\text{-hydroxyhexyl}]\text{-}8\text{-vinyl-estra-}1,3,5(10)\text{-triene-}}{3,17\beta\text{-diol}},$

 17α -Methyl-11β-[(S) 6,6,6-trifluoro-5-hydroxyhexyl]-8-vinyl-estra-1,3,5(10)-triene-3,17β-diol,

 17α -Methyl-11β-[(R)7,7,7-trifluoro-6-hydroxyheptyl]-8-vinyl-estra-1,3,5(10)-triene-3,17β-diol,

 17α -Methyl-11β-[(S)7,7,7-trifluoro-6-hydroxyheptyl]-8-vinyl-estra-1,3,5(10)-triene-3,17β-diol,

 17α -Methyl-11β-[(R)8,8,8-Trifluoro-7-hydroxyoctyl]-8-vinyl-estra-1,3,5(10)-triene-3,17β-diol,

 17α -Methyl-11β-[(S)8,8,8-trifluoro-7-hydroxyoctyl]-8-vinyl-estra-1,3,5(10)-triene-3,17β-diol),

 $\frac{17\beta-Hydroxy-11\beta-[(R)8,8,8,7,7,6,6-heptafluoro-5-hydroxyoctyl]-8-vinyl-estra-}{1,3,5(10)-trien-3-yl-sulfamate,}$

 17β -Hydroxy-11β-[(S)8,8,8,7,7,6,6-heptafluoro-5-hydroxyoctyl]-8-vinyl-estra-1,3,5(10)-trien-3-yl-sulfamate,

 $\frac{17\beta\text{-Hydroxy-}11\beta\text{-}[(R)9,9,9,8,8,7,7\text{-heptafluoro-}6\text{-hydroxynonyl}]\text{-}8\text{-vinyl-estra-}}{1,3,5(10)\text{-trien-}3\text{-yl-sulfamate,}}$

 17β -Hydroxy-11β-[(S)9,9,9,8,8,7,7-heptafluoro-6-hydroxynonyl]-8-vinyl-estra-1,3,5(10)-trien-3-yl-sulfamate,

 $\frac{17\beta-Hydroxy-11\beta-[(R)10,10,10,9,9,8,8-heptafluoro-7-hydroxydecyl]-8-vinyl-estra-}{1,3,5(10)-trien-3-yl-sulfamate,}$

 $\frac{17\beta-Hydroxy-11\beta-[(S)10,10,10,9,9,8,8-heptafluoro-7-hydroxydecyl]-8-vinyl-estra-}{1,3,5(10)-trien-3-yl-sulfamate,}$

<u>17β-Hydroxy-11β-[(R)7,7,6-trifluoro-5-hydroxyhept-6-enyl]-8-vinyl-estra-1,3,5(10)-trien-3-yl-sulfamate,</u>

17β-Hydroxy-11β-[(S)7,7,6-trifluoro-5-hydroxyhept-6-enyl]-8-vinyl-estra-1,3,5(10)-trien-3-yl-sulfamate,

17β-Hydroxy-11β-[(R)8,8,7-trifluoro-6-hydroxyoct-7-enyl]-8-vinyl-estra-1,3,5(10)-trien-3-yl-sulfamate,

17β-Hydroxy-11β-[(S)8,8,7-trifluoro-6-hydroxyoct-7-enyl]-8-vinyl-estra-1,3,5(10)-

trien-3-yl-sulfamate,

<u>17β-Hydroxy-11β-[(R)9,9,8-trifluoro-7-hydroxynon-8-enyl]-8-vinyl-estra-1,3,5(10)-trien-3-yl-sulfamate,</u>

<u>17β-Hydroxy-11β-[(S)9,9,8-trifluoro-7-hydroxynon-8-enyl]-8-vinyl-estra-1,3,5(10)-trien-3-yl-sulfamate,</u>

 17β -Hydroxy- 17α -methyl- 11β -[(1R) 6,6,6-trifluoro-5-hydroxyhexyl]-8-vinyl-estra-1,3,5(10)-trien-3-yl-sulfamate,

 17β -Hydroxy- 17α -methyl- 11β -[(S) 6,6,6-trifluoro-5-hydroxyhexyl]-8-vinyl-estra-1,3,5(10)-trien-3-yl-sulfamate,

 17β -Hydroxy-17α-methyl-11β-[(R)7,7,7-trifluoro-6-hydroxyheptyl]-8-vinyl-estra-1,3,5(10)-trien-3-yl-sulfamate,

 17β -Hydroxy-17α-methyl-11β-[(S)7,7,7-trifluoro-6-hydroxyheptyl]-8-vinyl-estra-1,3,5(10)-trien-3-yl-sulfamate,

 17β -Hydroxy- 17α -methyl- 11β -[(R)8,8,8-trifluoro-7-hydroxyoctyl]-8-vinyl-estra-1,3,5(10)-trien-3-yl-sulfamate

<u>or</u>

<u>17β-Hydroxy-17α-methyl-11β-[(S)8,8,8-trifluoro-7-hydroxyoctyl]-8-vinyl-estra-1,3,5(10)-trien-3-yl-sulfamate.</u>

7. (Currently Amended) Pharmaceutical compositions A pharmaceutical composition that eontain comprising at least one compound according to Claim 1 as well as a pharmaceutically compatible adjuvant and/or vehicle.

- 8. (Currently Amended) Pharmaceutical compositions A pharmaceutical composition that eontain comprising a compound according to claim 1 and at least one compound that is selected from the group of a GnRH antagonist antagonists, a progesterone receptor antagonist antagonists, a mesoprogestin, a gestagen or a tissue-selective gestagen mesoprogestins, gestagens or tissue-selective gestagens.
- 9. (Currently Amended) Use of the compounds of general formula I according to Claim 1 for the production of a A method of preparing a pharmaceutical agent comprising admixing a compound according to claim 1 with a pharmaceutically compatible adjuvant and/or vehicle.
- 10. (Currently amended) Use of the compounds of general formula I according to claim 9 for A method for contraception in women comprising admisistering to a patient in need thereof a pharmaceutically effective amount of a compound according to claim 1.
- 11. (Currently amended) Use of the compounds of general formula I according to claim 9 A method for contraception in men comprising admisistering to a patient in need thereof a pharmaceutically effective amount of a compound according to claim 1.
- 12. (Currently amended) Use of the compounds of general formula I according to claim 9 A method for treating benign or malignant proliferative diseases of the ovary comprising admisistering to a patient in need thereof a pharmaceutically effective amount of a compound according to claim 1.
- 13. (Currently amended) Use A method according to claim 12, wherein said disease is for treating ovarian cancer.
- 14. (Currently amended) Use A method according to claim 12, for treating a granulosa cell tumor.

- 15. (Currently Amended) Use A method according to Claim 9, wherein the function of other estrogen-sensitive organs such as the uterus or liver is not impaired.
- 16. (Currently amended) Intermediate products An intermediate product of general formula VI

in which

in which

 R^3 represents a group R^{19} -O-, $R^{20}SO_2$ -O-, or -O-C(O) R^{21} ;

n represents 3, 4, or 5:

X represents a group of formula II

in which

Z and W, independently of one another, represent R¹⁹,

<u>or</u>

Z and W together represent an oxygen atom,

Y represents OR¹⁹, -CN, -SCN, a halogen atom, R²⁰, R²⁰SO₂-O-;

Y represents R¹⁹ or R²⁰, if Z and W together represent an oxygen atom;

 R^{17} and R^{17} together represent an oxygen atom, or a group = $CR^{23}R^{24}$,

in which

R²³ and R²⁴, independently of one another, represent a hydrogen atom or a halogen;

<u>or</u>

R¹⁷ represents hydrogen, –OR¹⁹ or halogen;

 R^{17} represents R^{19} , $-OR^{19}$, halogen, $R^{20}SO_2$ -O-, $-C(O)R^{21}$ or

 $-O-C(O)R^{21}$;

R¹⁹ represents a hydrogen atom,

<u>a radical of formula $C_pF_qH_r$ with p=1, 2, 3, 4, 5, 6, 7, 8, 9; q >1 and q+r=2p+1;</u>

an unbranched C₁-C₈-alkyl group or branched C₃-C₆-alkyl group, a

 $\underline{C_3}$ - $\underline{C_6}$ -cycloalkyl group that is optionally substituted with a phenyl radical, a $(\underline{C_3}$ - $\underline{C_6}$ -cycloalkyl)- $\underline{C_1}$ - $\underline{C_4}$ -alkylene group, a branched or unbranched $\underline{C_2}$ - $\underline{C_5}$ -alkenyl group, a $\underline{C_2}$ - $\underline{C_5}$ -alkinyl group; or an unsubstituted or substituted aryl-, heteroaryl-, heterocyclyl-, aryl- $\underline{C_1}$ - $\underline{C_4}$ -alkylene-, or heteroaryl- $\underline{C_1}$ - $\underline{C_4}$ -alkylene group;

R²⁰ represents an R²¹R²²N– group, a group -C(NOR¹⁹)H, or a group of formula III

$$_{m}(CH_{2}) \stackrel{\bigvee}{\searrow} (CH_{2})_{o}$$

in which

V represents $-CH_2$, an oxygen atom or a sulfur atom, or $=N-R^{25}$;

m represents 0, 1, 2, 3, 4, 5, 6, 7 or 8;

o represents 0, 1, 2, 3, 4, 5, 6, 7 or 8,

whereby their sum

m + ois 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12;

R²¹ and R²², independently of one another, represent R¹⁹;

 R^{25} represents R^{19} , $R^{20}SO_2$ or an acyl group $-C(O)R^{21}$

radicals X, R³, R¹⁷, R¹⁷ and n have the same meaning as that in general formula I.


17. (Currently amended) Intermediate products A compound of general formula VII

in which radicals X, R³, R¹⁷, R¹⁷ and n have the same meaning as that in general formula I in which

 R^3 represents a group R^{19} -O-, $R^{20}SO_2$ -O-, or -O-C(O) R^{21} ;

n represents 3, 4, or 5:

X represents a group of formula II



in which

Z and W, independently of one another, represent R¹⁹,

<u>or</u>

Z and W together represent an oxygen atom,

Y represents OR¹⁹, -CN, -SCN, a halogen atom, R²⁰, R²⁰SO₂-O-;

<u>or</u>

Y represents R¹⁹ or R²⁰, if Z and W together represent an oxygen atom;

 R^{17} and R^{17} together represent an oxygen atom, or a group = $CR^{23}R^{24}$,

in which

R²³ and R²⁴, independently of one another, represent a hydrogen atom or a halogen;

<u>or</u>

R¹⁷ represents hydrogen, -OR¹⁹ or halogen;

 $\underline{R^{17}}$ represents $\underline{R^{19}}$, $-\underline{OR^{19}}$, halogen, $\underline{R^{20}SO_2}$ -O-, $-\underline{C(O)R^{21}}$ or

 $-O-C(O)R^{21}$;

R¹⁹ represents a hydrogen atom,

a radical of formula $C_pF_qH_r$ with p=1, 2, 3, 4, 5, 6, 7, 8, 9; q >1 and q+r=2p+1;

an unbranched C₁-C₈-alkyl group or branched C₃-C₆-alkyl group, a

 C_3 – C_6 -cycloalkyl group that is optionally substituted with a phenyl radical, a $(C_3$ – C_6 -cycloalkyl)- C_1 – C_4 -alkylene group, a branched or unbranched C_2 – C_5 -alkenyl group, a C_2 – C_5 -alkinyl group; or an unsubstituted or substituted aryl-, heteroaryl-, heterocyclyl-, aryl- C_1 – C_4 -alkylene-, or heteroaryl- C_1 – C_4 -alkylene group;

R²⁰ represents an R²¹R²²N– group, a group -C(NOR¹⁹)H, or a group of formula III

$$_{m}(CH_{2}) \stackrel{\bigvee}{\searrow} (CH_{2})_{o}$$

in which

V represents $-CH_2$, an oxygen atom or a sulfur atom, or $=N-R^{25}$;

m represents 0, 1, 2, 3, 4, 5, 6, 7 or 8;

o represents 0, 1, 2, 3, 4, 5, 6, 7 or 8,

whereby their sum

m + ois 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12;

 R^{21} and R^{22} , independently of one another, represent R^{19} ;

 R^{25} represents R^{19} , $R^{20}SO_2$ — or an acyl group $-C(O)R^{21}$.

18. (Currently amended) Intermediate products A compound of general formula VIII

in which radicals X, R³, R¹⁷, R¹⁷ and n have the same meaning as that in general formula I in which

 R^3 represents a group R^{19} -O-, $R^{20}SO_2$ -O-, or -O-C(O) R^{21} ;

n represents 3, 4, or 5:

X represents a group of formula Π

in which

Z and W, independently of one another, represent R¹⁹,

<u>or</u>

Z and W together represent an oxygen atom,

Y represents OR¹⁹, -CN, -SCN, a halogen atom, R²⁰, R²⁰SO₂-O-;

<u>or</u>

Y represents R¹⁹ or R²⁰, if Z and W together represent an oxygen atom;

 R^{17} and R^{17} together represent an oxygen atom, or a group = $CR^{23}R^{24}$, in which

R²³ and R²⁴, independently of one another, represent a hydrogen atom or a halogen;

<u>or</u>

R¹⁷ represents hydrogen, -OR¹⁹ or halogen;

 R^{17} represents R^{19} , $-OR^{19}$, halogen, $R^{20}SO_2$ -O-, $-C(O)R^{21}$ or

 $-\text{O-C(O)R}^{21}$;

R¹⁹ represents a hydrogen atom,

a radical of formula $C_pF_qH_r$ with p=1, 2, 3, 4, 5, 6, 7, 8, 9; q >1 and q+r=2p+1;

an unbranched C₁-C₈-alkyl group or branched C₃-C₆-alkyl group, a

 $\underline{C_3}$ – $\underline{C_6}$ -cycloalkyl group that is optionally substituted with a phenyl radical, a $(\underline{C_3}$ – $\underline{C_6}$ -cycloalkyl)- $\underline{C_1}$ – $\underline{C_4}$ -alkylene group, a branched or unbranched $\underline{C_2}$ – $\underline{C_5}$ -alkenyl group, a $\underline{C_2}$ – $\underline{C_5}$ -alkinyl group; or an unsubstituted or substituted aryl-, heteroaryl-, heterocyclyl-, aryl- $\underline{C_1}$ – $\underline{C_4}$ -alkylene-, or heteroaryl- $\underline{C_1}$ – $\underline{C_4}$ -alkylene group;

R²⁰ represents an R²¹R²²N– group, a group -C(NOR¹⁹)H, or a group of formula III

$$\frac{\text{(CH}_2)}{\text{(CH}_2)_0}$$
III

in which

V represents $-CH_2$, an oxygen atom or a sulfur atom, or $=N-R^{25}$;

m represents 0, 1, 2, 3, 4, 5, 6, 7 or 8;

o represents 0, 1, 2, 3, 4, 5, 6, 7 or 8,

whereby their sum

m + ois 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12;

 R^{21} and R^{22} , independently of one another, represent R^{19} ;

 R^{25} represents R^{19} , $R^{20}SO_2$ — or an acyl group $-C(O)R^{21}$.


19. (Currently amended) Intermediate products A compound of general formula IX

in which radicals X, R³, R¹⁷, R¹⁷ and n have the same meaning as that in general formula I in which

 R^3 represents a group R^{19} -O-, $R^{20}SO_2$ -O-, or -O-C(O) R^{21} ;

n represents 3, 4, or 5:

X represents a group of formula II



in which

Z and W, independently of one another, represent R¹⁹,

<u>or</u>

Z and W together represent an oxygen atom,

Y represents OR¹⁹, -CN, -SCN, a halogen atom, R²⁰, R²⁰SO₂-O-;

<u>or</u>

Y represents R¹⁹ or R²⁰, if Z and W together represent an oxygen atom;

 R^{17} and R^{17} together represent an oxygen atom, or a group = $CR^{23}R^{24}$,

in which

 R^{23} and R^{24} , independently of one another, represent a hydrogen atom or a halogen;

<u>or</u>

R¹⁷ represents hydrogen, -OR¹⁹ or halogen;

 R^{17} represents R^{19} , $-OR^{19}$, halogen, $R^{20}SO_2$ -O-, $-C(O)R^{21}$ or

 $-O-C(O)R^{21}$;

R¹⁹ represents a hydrogen atom,

<u>a radical of formula $C_pF_qH_r$ with p=1, 2, 3, 4, 5, 6, 7, 8, 9; q >1 and q+r=2p+1;</u>

an unbranched C₁–C₈-alkyl group or branched C₃–C₆-alkyl group, a

C₃-C₆-cycloalkyl group that is optionally substituted with a phenyl radical, a

 $(C_3-C_6$ -cycloalkyl)- C_1 - C_4 -alkylene group, a branched or unbranched C_2 - C_5 alkenyl group, a C_2 - C_5 -alkinyl group; or an unsubstituted or substituted aryl-,
heteroaryl-, heterocyclyl-, aryl- C_1 - C_4 -alkylene-, or heteroaryl- C_1 - C_4 -alkylene
group;

R²⁰ represents an R²¹R²²N- group, a group -C(NOR¹⁹)H, or a group of

<u>formula III</u>

32

in which

V represents $-CH_2$, an oxygen atom or a sulfur atom, or $=N-R^{25}$;

m represents 0, 1, 2, 3, 4, 5, 6, 7 or 8;

o represents 0, 1, 2, 3, 4, 5, 6, 7 or 8,

whereby their sum

m + ois 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12;

 R^{21} and R^{22} , independently of one another, represent R^{19} ;

 R^{25} represents R^{19} , $R^{20}SO_2$ — or an acyl group $-C(O)R^{21}$.